Journal of Biomedical Materials Research
Author Index—Volume 70A

Abbas, G. See Ball, M., 380
Abraham, L. C.
—; Vorrasi, J.; Kaplan, D. L.: Impact of collagen structure on matrix trafficking by human fibroblasts, 39
Ahmed, S.
—; Tsuchiya, T.: Novel mechanism of tumorigenesis: Increased transforming growth factor-β1 suppresses the expression of connexin 43 in BALB/cJ mice after implantation of poly-L-lactic acid, 335
Akagi, M. See Yoshii, S., 569
Alb, A. M. See Sander, E. A., 506
Alexakis, C.
—; Strup, C.; Mestries, P.; Mathé, D.; Caruelle, J. P.; Barritualt, D.; Kern P.: Regulation of the collagen phenotype expression of gamma-irradiated vascular smooth muscle cells by heparan mimetics (RGTA), 594
Ambrose, C. G. See Temenoff, J. S., 235
Amino, H. See Oonishi, H., 523
Anderson, H. C. See Yu, Y., 122
Anderson, J. M. See Christenson, E. M., 245
—; See Maeyama, R., 274
Anseth, K. S. See Rice, M. A., 560
Areva, S.
—; Paldan, H.; Peltola, T.; Närhi, T.; Jokinen M.; Lindén, M.: Use of sol–gel–derived titania coating for direct soft tissue attachment, 169
Avgoustakis, K. See Stivaktakis, N., 139
Ayukawa, Y. See Okamura, A., 497

Ball, M.
—; O'Brien, A.; Dolan, F.; Abbas, G.; McLaughlin, J. A.: Macrophage responses to vascular stent coatings, 380
Balooch, M. See Ho, S. P., 480
Barinov, S. M. See Fadeeva, I. V., 303
Barritault, D. See Alexakis, C., 594
Bartlett, R. H. See Chen, P.-C., 412, 459
Bastos, M. See Serro, A. P., 420
Baumann, M. J. See Smith, I. O., 436
Beletsi, A. See Stivaktakis, N., 193
Berkland, C.
—; Cox, A.; Kim, K. (Kevin); Pack, D. W.: Three-month zero-order piroxicam release from monodispersed double-walled microspheres of controlled shell thickness, 576
Bivens, K. A. See Leach, J. B., 74
Bledsoe, J. G.
—; Slack, S. M.; Turitto, V. T.: Cyclic mechanical strain alters tissue-factor activity in rat osteosarcoma cells cultures on a titanium substrate, 490
Bodamyali, T. See McFetridge, P. S., 224
Böhringer, K. F. See Cheng, X., 159
Boyan, B. D. See Lossdörfer, S., 361
Brown, R. F. See Conzone, S. D., 256
Brunette, D. M. See Khakbaznejad, A., 206
—; See Refai, A. K., 194

Caruelle, J. P. See Alexakis, C., 594
Caughman, G. B. See Schuster, G. S., 347
Chan, W. K. See Wong, C. T., 428
Chang, L.-C. See Chen, P.-C., 412
Chaudhuri, J. B. See McFetridge, P. S., 224
Chazono, M.
—; Tanaka, T.; Komaki, H.; Fujii, K.: Bone formation and bioresorption after implantation of injectable β–tricalcium phosphate granules–hyaluronate complex in rabbit bone defects, 542
Chehroudi, B. See Khakbaznejad, A., 206
Chen, P.-C.
—; Kohane, D. S.; Park, Y. J.; Bartlett, R. H.; Langer, R.; Yang, V. C.: Injectable microparticle–gel system for prolonged and localized lidocaine release. II. *In vivo* anesthetic effects, 459
—; Park, Y. J.; Chang, L.-C.; Kohane, D. S.; Bartlett, R. H.; Langer, R.; Yang, V. C.: Injectable microparticle-gel system for prolonged and localized lidocaine release. I. *In vitro* characterization, 412
Chen, Q. Z. See Wong, C. T., 428
Chen, R.-N. See Ho, H.-O., 83
Cheng X.
—; Wang, Y.; Hanein, Y.; Böringer, K. F.; Ratner, B. D.: Student Research Award in the Doctoral Degree Candidate Category, 7th Biomaterials World Congress, Sydney, Australia, May 16–21, 2004: Novel cell patterning using microheater-controlled thermoresponsive plasma films, 159
Cheung, K. M. C. See Wong, C. T., 482
Cho, S. H. See Kim, M. S., 154
Christenson, E. M.
—; Anderson, J. M.; Hiltner, A.: Oxidative mechanisms of poly(carbonate urethane) and poly(ether urethane) biodegradation: *In vivo* and *in vitro* correlations, 245
Chu, P. K. See Kwok, S. C. H., 107
Chung, H. A.
—; Kato, K.; Itoh, C.; Ohhashi, S.; Nagamne, T.: Casual cell surface remodeling using biocompatible lipid-poly(ethylene glycol)*(n)*: Development of stealth cells and monitoring of cell membrane behavior in serum-supplemented conditions, 179
Clarke, I. C. See Oonishi, H., 523
Cochran, D. L. See Lossdörfer, S., 361
Cofino, B.
—; Fogarassy, P.; Millet, P.; Loidni, A.: Thermal residual stresses near the interface between plasma-sprayed hydroxyapatite coating and titanium substrate: Finite

Journal of Biomedical Materials Research
Author Index—Volume 70A

Abbas, G. See Ball, M., 380
Abraham, L. C.
—; Vorrasi, J.; Kaplan, D. L.: Impact of collagen structure on matrix trafficking by human fibroblasts, 39
Ahmed, S.
—; Tsuchiya, T.: Novel mechanism of tumorigenesis: Increased transforming growth factor-β1 suppresses the expression of connexin 43 in BALB/cJ mice after implantation of poly-L-lactic acid, 335
Akagi, M. See Yoshii, S., 569
Alb, A. M. See Sander, E. A., 506
Alexakis, C.
—; Strup, C.; Mestries, P.; Mathé, D.; Caruelle, J. P.; Barritualt, D.; Kern P.: Regulation of the collagen phenotype expression of gamma-irradiated vascular smooth muscle cells by heparan mimetics (RGTA), 594
Ambrose, C. G. See Temenoff, J. S., 235
Amino, H. See Oonishi, H., 523
Anderson, H. C. See Yu, Y., 122
Anderson, J. M. See Christenson, E. M., 245
—; See Maeyama, R., 274
Anseth, K. S. See Rice, M. A., 560
Areva, S.
—; Paldan, H.; Peltola, T.; Närhi, T.; Jokinen M.; Lindén, M.: Use of sol–gel–derived titania coating for direct soft tissue attachment, 169
Avgoustakis, K. See Stivaktakis, N., 139
Ayukawa, Y. See Okamura, A., 497

Ball, M.
—; O'Brien, A.; Dolan, F.; Abbas, G.; McLaughlin, J. A.: Macrophage responses to vascular stent coatings, 380
Balooch, M. See Ho, S. P., 480
Barinov, S. M. See Fadeeva, I. V., 303
Barritault, D. See Alexakis, C., 594
Bartlett, R. H. See Chen, P.-C., 412, 459
Bastos, M. See Serro, A. P., 420
Baumann, M. J. See Smith, I. O., 436
Beletsi, A. See Stivaktakis, N., 193
Berkland, C.
—; Cox, A.; Kim, K. (Kevin); Pack, D. W.: Three-month zero-order piroxicam release from monodispersed double-walled microspheres of controlled shell thickness, 576
Bivens, K. A. See Leach, J. B., 74
Bledsoe, J. G.
—; Slack, S. M.; Turitto, V. T.: Cyclic mechanical strain alters tissue-factor activity in rat osteosarcoma cells cultures on a titanium substrate, 490
Bodamyali, T. See McFetridge, P. S., 224
Böhringer, K. F. See Cheng, X., 159
Boyan, B. D. See Lossdörfer, S., 361
Brown, R. F. See Conzone, S. D., 256
Brunette, D. M. See Khakbaznejad, A., 206
—; See Refai, A. K., 194

Caruelle, J. P. See Alexakis, C., 594
Caughman, G. B. See Schuster, G. S., 347
Chan, W. K. See Wong, C. T., 428
Chang, L.-C. See Chen, P.-C., 412
Chaudhuri, J. B. See McFetridge, P. S., 224
Chazono, M.
—; Tanaka, T.; Komaki, H.; Fujii, K.: Bone formation and bioresorption after implantation of injectable β–tricalcium phosphate granules–hyaluronate complex in rabbit bone defects, 542
Chehroudi, B. See Khakbaznejad, A., 206
Chen, P.-C.
—; Kohane, D. S.; Park, Y. J.; Bartlett, R. H.; Langer, R.; Yang, V. C.: Injectable microparticle–gel system for prolonged and localized lidocaine release. II. *In vivo* anesthetic effects, 459
—; Park, Y. J.; Chang, L.-C.; Kohane, D. S.; Bartlett, R. H.; Langer, R.; Yang, V. C.: Injectable microparticle-gel system for prolonged and localized lidocaine release. I. *In vitro* characterization, 412
Chen, Q. Z. See Wong, C. T., 428
Chen, R.-N. See Ho, H.-O., 83
Cheng X.
—; Wang, Y.; Hanein, Y.; Böringer, K. F.; Ratner, B. D.: Student Research Award in the Doctoral Degree Candidate Category, 7th Biomaterials World Congress, Sydney, Australia, May 16–21, 2004: Novel cell patterning using microheater-controlled thermoresponsive plasma films, 159
Cheung, K. M. C. See Wong, C. T., 482
Cho, S. H. See Kim, M. S., 154
Christenson, E. M.
—; Anderson, J. M.; Hiltner, A.: Oxidative mechanisms of poly(carbonate urethane) and poly(ether urethane) biodegradation: *In vivo* and *in vitro* correlations, 245
Chu, P. K. See Kwok, S. C. H., 107
Chung, H. A.
—; Kato, K.; Itoh, C.; Ohhashi, S.; Nagamne, T.: Casual cell surface remodeling using biocompatible lipid-poly(ethylene glycol)*(n)*: Development of stealth cells and monitoring of cell membrane behavior in serum-supplemented conditions, 179
Clarke, I. C. See Oonishi, H., 523
Cochran, D. L. See Lossdörfer, S., 361
Cofino, B.
—; Fogarassy, P.; Millet, P.; Loidni, A.: Thermal residual stresses near the interface between plasma-sprayed hydroxyapatite coating and titanium substrate: Finite

element analysis and synchrotron radiation measurements, 20
Collins, C. N. See Leach, J. B., 4
Conzone, S. D.
—; Hall, M. M.; Day, D. E.; Brown, R. F.: Biodegradable radiation delivery system utilizing glass microspheres and ethylenediaminetetraacetate chelation therapy, 256
Cooper, S. L. See Fussell, G. W., 265
Cortés, D. A.
—; Medina, A.; Escobedo, J. C.; Escobedo, S.; López, M. A.: Effect of wollastonite ceramics and bioactive glass on the formation of bonelike apatite layer on a cobalt base alloy, 341
Costa, F. J. See Silva, G. A., 442
Costa Pessoa, J. See Serro, A. P., 420
Coutinho, O. P. See Silva, G. A., 442
Cox, A. See Berkland, C., 576
Currier, B. L. See Kempen, D. H. R., 283, 293

Daniel, J. W. See McFetridge, P. S., 224
Dao, L. H. See Wang, Z., 82
Day, D. E. See Conzone, S. D., 256
Dee, K. C. See Karp, J. M., 1
—; See Sander, E. A., 506
Dhert, W. J. A. See Kempen, D. H. R., 283, 293
Dolan, F. See Ball, M., 380
Drake, K. O. See Skipper, L. J., 354
Ducheyne, P. See Silva, G. A., 442
Ďurišin, J. See Fadeeva, I. V., 303

Edelman, E. R. See Kolandaivelu, K., 186
Elliosn, K. See Price, R. L., 129
Engbers, G. H. M. See Meng, F., 49, 97
Escobedo, J. C. See Cortés, D. A., 341
Escobedo, S. See Cortés, D. A., 341

Fadeeva, I. V.
—; Barinov, S. M.; Komlev, V. S.; Fedotov, D. A.; Ďrišin, J.; Medvecky, L.: Apatite formation in the reaction-setting mixture of $Ca(OH)_2$–KH_2PO_4 system, 303
Fedotov, D. A. See Fadeeva, I. V., 303
Feijen, J. See Meng, F., 49, 97
Fitzgerald, V. See Skipper, L. J., 354
Fogarassy, P. See Cofino, B., 02
Friis, E. A. See Karp, J. M., 1
Fujii, K. See Chazono, M., 542
Fussell, G. W.
—; Cooper, S. L.: Endothelial cell adhesion on RGD-containing methacrylate terpolymers, 265

Garcia, I. See Shen, M., 533
Gessner, A. See Meng, F., 97
Giachelli, C. M. See Martin, S. M., 10
—; See Ohri, R., 328
Good, V. See Oonishi, H., 523
Gross, U. M. See Vogel, M., 370
Guidoin, R. See Wang, Z., 28
Guna, J. See Stankus, J. J., 603

Haberstroh, K. M. See Price, R. L., 129
Hahn, S. K. See Ohri, R., 328
Hall, M. M. See Conzone, S. D., 256
Hanein, Y. See Cheng, X., 159
Harris, R. I. See Yu, Y., 122
Hattori, S. See Mutsuzaki, H., 319
Helay, K. E. See Kuroda, S., 66
Hench, L. L. See Skipper, L. J., 354
Hiltner, A. See Christenson, E. M., 245
Ho, H.-O.
—; Tsai, Y.-T.; Chen, R.-N.; Sheu, M.-T.: Viscoelastic characterizations of acellular dermal matrix (ADM) preparations for use as injectable implants, 83
Ho, S. P.
—; Balooch, M.; Marshall, S. J.; Marshall, G. W.: Local properties of a functionally graded interphase between cementum and dentin, 480
Hoffman, A. S. See Ohri, R., 328
Horbetti, T. A. See Shen, M., 533
Horrcks, M. See McFetridge, P. S., 24

Inoue, H. See Matsushita, N., 450
Inoue, M.
—; LeGeros, R. Z.; Inoue, M.; Tsujigiwa, H.; Nagatsuka, H.; Yamamoto, T.; Nagai, N.: *In vitro* response of osteoblast-like and odontoblast-like cells to unsubstituted and substituted apatites, 585
—; See Inoue, M., 585
Ishikawa, S.-i. See Miyamoto, K., 550
Ito, A. See Mutsuzaki, H., 319
Itoh, C. See Chung, H. A., 179
Iyama, S. See Okamura, A., 497

Jabbari, E. See Kempen, D. H. R., 283, 293
—; See Temenoff, J. S., 235
Jansen, J. A. See Vooijs, D. P. P., 402
Jokinen, M. See Areva, S., 169

Kamada, H. See Yoshioka, Y., 219
Kaneda, Y. See Yoshioka, Y., 219
Kano, H. See Miyamoto, K., 550
Kaot, K. See Chung, H. A., 179
Kaplan, D. L. See Abraham, L. C., 93
Karp, J. M.
—; Friis, E. A.; Dee, K. C.; Winet, H.: Opinions and trends in biomaterials education: Report of a 2003 Society for Biomaterials Survey, 1
Kawai, N.
—; Tanaka, E.; Takata, T.; Miyauchi, M.; Tanaka, M.; Todoh, M.; van Eijden, T.; Tanne, K.: Influence of additive hyaluronic acid on the lubricating ability in the temporomandibular joint, 149
Kempen, D. H. R.
—; Lu, L.; Zhu, X.; Kim, C.; Jabbari, E.; Dhert, W. J. A.; Currier, B. L.; Yaszemski, M. J.: Development of biodegradable poly(propylene fumarate)/poly(lactic-*co*-glycolic acid) blend microspheres. I. Preparation and characterization, 283
—; Lu, L.; Zhu, X.; Kim, C.; Jabbari, E.; Dhert, W. J. A.; Currier, B. L.; Yaszemski, M. J.: Development of biodegradable poly(propylene fumarate)/poly(lactic-*co*-glycolic acid) blend microspheres. II. Controlled drug release and microsphere degradation, 293
Kern, P. See Alexakis, C., 594
Khakbaznejad, A.
—; Chehroudi, B.; Brunette, D. M.: Effects of titanium-coated micromachined grooved substrata on orienting layers of osteoblast-like cells and collagen fibers in culture, 206
Khang, G. See Kim, M. S., 154
Kim, C. See Kempen, D. H. R., 283, 293
Kim, H.-E. See Kim, H.-W., 467
Kim, H.-W.
—; Knowles, J. C.; Kim, H.-E.: Effect of biphasic calcium phosphates on drug release and biological and mechanical properties of poly(Î-caprolactone) composite membranes, 467
Kim, K. (Kevin) See Berkland, C., 576

Kim, M. S.
—; Seo, K. S.; Khang, G.; Cho, S. H.; Lee, H. B.: Preparation of poly(ethylene glycol)-*block*-poly(caprolactone) copolymers and their applications as thermosensitive materials, 154
Knabe, C. See Vogel, M., 730
Knowles, J. C. See Kim, H.-W., 467
Kodaira, H. See Yoshioka, Y., 219
Kohane, D. S. See Chen, P.-C., 412, 459
Koizumi, K. See Yoshioka, Y., 219
Kolandaivelu, K.
—; Edelman, E. R.: Environmental influences on endovascular stent platelet reactivity: An *in vitro* comparison of stainless steel and gold surfaces, 186
Komaki, H. See Chazono, M., 42
Komlev, V. S. See Fadeeva, I. V., 303
Kotha, S. P.
—; Li, C.; Schmid, S. R.; Mason, J. J.: Fracture toughness of steel-fiber-reinforced bone cement, 514
Koyana, K. See Okamura, A., 497
Kurahashi, Y. See Miyamoto, K., 550
Kuroda, S.
—; Virid, A. S.; Li, P.; Healy, K. E.; Sumner, D. R.: A low-temperature biomimetic calcium phosphate surface enhances early implant fixation in a rat model, 66
Kwok, S. C. H.
—; Yang, P.; Wang, J.; Liu, X; Chu,P. K.: Hemocompatibility of nitrogen-doped, hydrogen-free diamond-like carbon prepared by nitrogen plasma immersion ion implantation–deposition, 107

Langer, R. See Chen, P.-C., 412, 459
Leach, J. B.
—; Bivens, K. A.; Collins, C. N.; Schmidt, C. E.: Development of photocrosslinkable hyaluronic acid-polyethylene glycol-peptide composite hydrogels for soft tissue engineering, 74
LeBaron, R. G. See Temenoff, J. S., 235
Lee, H. B. See Kim, M. S., 154
LeGeros, R. Z. See Inoue, M., 585
Lemus, M. M. See Souto, R. M., 59
Leong, J. C. Y. See Wong, C. T., 428
Leven, R. M.
—; Virdi, A. S.; Sumner, D. R.: Patterns of gene expression in rat bone marrow stromal cells cultured on titanium alloy discs of different roughness, 391
Li, C. See Kotha, S. P., 514
Li, P. See Kuroda, S., 66
Lin, Z. See Skipper, L. J., 354
Lindén, M. See Areva, S., 169
Liu, X. See Kwok, S. C. H., 107
Lodini, A. See Cofino, B., 02
Loendiadis, L. See Stivaktakis, N., 139
Lohmann, C. H. See Lossdörfer, S., 361
López, M. A. See Cortés, D. A., 341
Lossdörfer, S.
—; Schwartz, Z.; Wang, L.; Lohmann, C. H.; Turner, J. D.; Wieland, M.; Cochran, D. L.; Boyan, B. D.: Microrough implant surface topographies increase osteogenesis by reducing osteoclast formation and activity, 361
Lu, L. See Kempen, D. H. R., 283, 293
Lu, W. W. See Wong, C. T., 428
Luk, K. D. K. See Wong, C. T., 428

Maeyama, R.
—; Mizunoe, Y.; Anderson, J. M.; Tanaka, M.; Matsuda, T.: Confocal imaging of biofilm formation process using fluoroprobed *Escherichia coli* and fluoro-stained exopolysaccharide, 274
Maier, R. V. See Shen, M., 533
Marshall, G. W. See Ho, S. P., 480
Marshall, S. J. See Ho, S. P., 480
Martin, S. M.
—; Schwartz, J.. L.; Giachelli, C. M.; Ratner, B. D.: Enhancing the biological activity of immobilized osteopontin using type-1 collagen affinity coating, 10
Mason, J. J. See Kotha, S. P., 514
Mathé, D. See Alexakis, C., 594
Matsuda, T. See Maeyama, R., 274
Matsushita, N.
—; Terai, H.; Okada, T.; Nozaki, K.; Inue, H.; Miyamoto, S.; Takaoka, K.: A new bone-inducing biodegradable porous β-tricalcium phosphate, 450
Mayumi, T. See Yoshioka, Y., 219
McCabe, L. R. See Smith, I. O., 436
McFetridge, P. S.
—; Daniel, J. W.; Bodamyali, T.; Horrocks, M.; Chauduri, J. B.: Preparation of porcine arteries for vascular tissue engineering applications, 224
McLaughlin, J. A. See Ball, M., 380
Medina, A. See Cortés, D. A., 341
Medvecky, L. See Fadeeva, I. V., 303
Meng, F.
—; Engbers, G. H. M.; Feijen, J.: Polyethylene glycol–grafted polystyrene particles, 94
—; Engbers, G. H. M.; Gesner, A.; Müller, R. H.; Feijen, J.: Pegylated polystyrene particles as a model system for artificial cells, 97
Mestries, P. See Alexakis, C., 594
Mikos, A. G. See Temenoff, J. S., 235
Millet, P. See Cofino, B., 20
Minamisawa, Y. See Miyamoto, K., 550
Miyamoto, K.
—; Sasaki, M.; Minamisawa, Y.; Kurahashi, Y.; Kano, H.; Ishikawa, S.-i.: Evaluation if *in vivo* biocompatibility and biodegradation of photocrosslinked hyaluronate hydrogels (HADgels), 550
Miyamoto, S. See Matsushita, N., 450
Miyanaga, Y. See Mutsuzaki, H., 319
Miyauchi, M. See Kawai, N., 149
Mizunoe, Y. See Maeyama, R., 274
Mu, Y. See Yoshioka, Y., 219
Mukai, Y. See Yoshioka, Y., 219
Müller, R. H. See Meng, F., 97
Müller-Mai, C. M. See Vogel, M., 370
Mutsuzaki, H.
—; Sakane, M.; Nakajima, H.; Ito, A.; Hattori, S.; Miyanaga, Y.; Ochiai, N.; Tanaka, J.: Calcium-phosphate-hybridized tendon directly promotes regeneration of tendon-bone insertion, 319

Nagai, N. See Inoue, M., 585
Nagamune, T. See Chung, H. A., 179
Nagatsuka, H. See Inoue, M., 585
Nakagawa, S. See Yoshioka, Y., 219
Nakajima, H. See Mutsuzaki, H., 319
Närhi, T. See Areva, S., 169
Nauman, E. A. See Sander, E. A., 506
Newport, R. J. See Skipper, L. J., 354
Nikou, K. See Stivaktakis, N., 139
Nozaki, K. See Matsushita, N., 450

O'Brien, A. See Ball, M., 380
Ochiai, N. See Mutsuzaki, H., 319
Ogata, S.-I. See Saito, A., 115
Ohhashi, S. See Chung, H. A., 179
Ohri, R.
—; Hahn, S. K.; Hoffman, A. S.; Stayton, P. S.; Giachelli, C. M.: Hyaluronic acid grafting mitigates calcification of glutaraldehyde-fixed bovine pericardium, 328
Ohtsuki, C. See Saito, A., 115
Oka, M. See Yoshii, S., 569

Okada, T. See Matsushita, N., 450
Okamoto, T. See Yoshioka, Y., 219
Okamura, A.
—; Ayukawa, Y.; Iyama, S.; Koyana, K.: Effect of the difference of bone turnover on peri-titanium implant osteogenesis in ovariectomized rats, 497
Oonishi, H.
—; Clarke, I. C.; Good, V.; Amino, H.; Ueno, M.: Alumina hip joints characterized by run-in wear and steady-state wear to 14 million cycles in hip-simulator model, 523

Pack, D. W. See Berkland, C., 576
Paldan, H. See Areva, S., 169
Panagi, Z. See Stivaktakis, N., 193
Park, H. See Temenoff, J. S., 235
Park, Y. J. See Chen, P.-C., 412, 459
Parker, J. A. T. C. See Vooijs, D. P. P., 402
Peltola, T. See Areva, S., 619
Pickup, D. M. See Skipper, L. J., 354
Price, R. L. Ellison, K.; Haberstroh, K. M.; Webster, T. J.: Nanometer surface roughness increases select osteoblast adhesion on carbon nanofiber compacts, 129

Radin, S. See Silva, G. A., 442
Radlanski, R. J. See Vogel, M., 370
Rashid, R. See Skipper, L. J., 354
Ratner, B. D. See Cheng, X., 159
—; See Martin, S. M., 10
Reed, W. F. See Sander, E. A., 506
Refai, A. K.
—; Textor, M.; Brunette, D. M.; Waterfield, J. D.: Effect of titanium surface topography on macrophage activation and secretion of proinflammatory cytokines and chemokines, 194
Reis, R. L. See Silva, G. A., 442
—; See Souto, R. M., 95
Rice, M. A.
—; Anseth, K. S.: Encapsulating chondrocytes in copolymer gels: Bimodal degradation kinetics influence cell phenotype and extracellular matrix development, 560
Roberge, C. See Wang, Z., 82
Rouabhia, M. See Wang, Z., 28

Saito, A.
—; Suzuki, Y.; Ogata, S.-I.; Ohtsuki, C; Tanihara, M.: Prolonged ectopic calcification induced by BMP-2–erived synthetic peptide, 115
Sakane, M. See Mutsuzaki, H., 319
Sander, E. A.
—; Alb, A. M.; Nauman, E. A.; Reed, W. F.; Dee, K. C.: Solvent effects on the microstructure and properties of 75/25 poly(D-lactide-*co*-glycolide) tissue scaffolds, 506
Saramago, B. See Serro, A. P., 420
Saravanapavan, P. See Skipper, L. J., 354
Sasaki, M. See Miyamoto, K., 550
Sato-Kamada, K. See Yoshioka, Y., 219
Schmid, S. R. See Kotha, S. P., 514
Schmidt, C. E. See Leach, J. B., 74
Schuster, G. S.
—; Caughman, G. B.: Alterations of cell lipids by metal salts, 347
Schwartz, J. L. See Martin, S. M., 01
Schwartz, Z. See Lossdörfer, S., 361
Seo, K. S. See Kim, M. S., 154
Serro, A. P.
—; Bastos, M.; Costa Pessoa, J.; Saramago, B.: Bovine serum albumin conformational changes upon adsorption on titania and on hydroxyapatite and their relation with biomineralization, 420
Sheffield, T. L. See Temenoff, J. S., 235
Shen, M.
—; Garcia, I.; Maier, R. V.; Horbett, T. A.: Effects of adsorbed proteins and surface chemistry on foreign body giant cell formation, tumor necrosis factor alpha release and procoagulant activity of monocytes, 533
Shi, G. See Wang, Z., 82
Shibata, H. See Yoshioka, Y., 219
Shima, M. See Yoshii, S., 569
Silva, G. A.
—; Costa, F. J.; Coutinho, O. P.; Radin, S.; Ducheyne, P.; Reis, R. L.: Synthesis and evaluation of novel bioactive composite starch/bioactive glass microparticles, 442
Skipper, L. J.
—; Sowrey, F. E.; Pickup, D. M.; Fitzgerald, V.; Rashid, R.; Drake, K. O.; Lin, Z.; Saravanapavan, P.; Hench, L. L.; Smith, M. E.; Newport, R. J: Structural studies of bioactivity in sol–gel-derived glasses by X-ray spectroscopy, 354
Slack, S. M. See Bledsoe, J. G., 490
Smith, I. O.
—; Baumann, M. J.; McCabe, L. R.: Electrostatic interactions as a predictor for osteoblast attachment to biomaterials, 436
Smith, M. E. See Skipper, L. J., 354
Sumner, D. R. See Kuroda, S., 66
Souto, R. M.
—; Lemus, M. M.; Reis, R. L.: Electrochemical behavior of different preparations of plasma-sprayed hydroxyapatite coatings on Ti6Al4V substrate, 59
Sowrey, F. E. See Skipper, L. J., 354
Sheu, M.-T. See Ho, H.-O., 83
Stankus, J. J.
—; Guan, J.; Wagner, W. R.: Fabrication of biodegradable elastomeric scaffolds with sub-micron morphologies, 603
Stayton, P. S. See Ohri, R., 328
Stivaktakis, N.
—; Nikou, K.; Panagi, Z.; Beletis, A.; Leondiadis, L.; Avgoustakis, K.: PLA and PLGA microspheres of β-galactosidase: Effect of formulation factors on protein antigenicity and immunogenicity, 139
Strup, C. See Alexakis, C., 594
Sumner, D. R. See Leven, R. M., 391
Suzuki, Y. See Saito, A., 115

Takaoka, K. See Matsushita, N., 450
Takata, T. See Kawai, N., 149
Taki, Y. See Yoshii, S., 659
Tanaka, E. See Kawai, N., 149
Tanaka, J. See Mutsuzaki, H., 319
Tanaka, M. See Kawai, N., 149
—; See Maeyama, R., 274
Tanaka, T. See Chazono, M., 542
Taniguchi, A. See Yoshii, S., 569
Tanihara, M. See Saito, A., 115
Tanne, K. See Kawai, N., 149
Temenoff, J. S.
—; Park, H.; Jabbari, E.; Sheffield, T. L.; LeBaron, R. G.; Ambrose, C. G.; Mikos, A. G.: *In vitro* osteogenic differentiation of marrow stromal cells encapsulated in biodegradable hydrogels, 235
Terai, H. See Matsushita, N., 450
Textor, M. See Refai, A. K., 194
Todoh, M. See Kawai, N., 149
Tsia, Y.-T. See Ho, H.-O., 83
Tsuchiya, T. See Ahmed, S., 335
Tsujigiwa, H. See Inoue, M., 585
Tsunoda, S.-i. See Yoshioka, Y., 219
Tsutsumi, Y. See Yoshioka, Y., 219
Turitto, V. T. See Bledsoe, J. G., 490
Turner, J. D. See Lossdörfer, S., 361

Ueno, M. See Oonishi, H., 523
Uhrich, K. See Whitaker-Brothers, K., 309

van Eijden T. See Kawai, N., 149
Virdi, A. S. See Kuroda, S., 66
Virdi, A. S. See Leven, R. M., 391
Vogel, M.
—; Voigt, C.; Knabe, C.; Radlanski, R. J.; Gross. U. M.; Müller-Mai, C. M.: Development of multinuclear giant cells during the degradation of Bioglass® particles in rabbits, 370
Voigt, C. See Vogel, M., 370
Von den Hoff, J. W. See Vooijs, D. P. P., 402
Vooijs, D. P. P.
—; Walboomers, X. F.; Parker, J. A. T. C.; Von den Hoff, J. W.; Jansen, J. A.: Transforming growth factor-β3–loaded microtextured membranes for skin regeneration in dermal wounds, 402
Vorrasi, J. See Abraham, L. C., 39

Wagner, W. R. See Stankus, J. J., 603
Walboomers, X. F. See Vooijs, D. P. P., 402
Walsh, W. R. See Yu, Y., 122
Wan, Y. See Wang, Z., 82
Wang, J. See Kwok, S. C. H., 107
Wang, L. See Lossdörfer, S., 361
Wang, Y. See Cheng, X., 159
Wang, Z.
—; Roberge, C.; Dao, L. H.; Wan, Y.; Shi, G.; Rouabhia, M.; Guidoin, R.; Zhang, Z.: *In vivo* evaluation of a novel electrically conductive polypyrrole/poly(D,L-lactide) composite and polypyrrole-coated poly(D,L-lactide-*co*-glycolide) membranes, 28
Waterfield, J. D. See Refai, A. K., 194
Webster, T. J. See Price, R. L., 129
Whitaker-Brothers, K.
—; Uhrich, K.: Poly(anhydride-ester)fibers: Role of copolymer composition on hydrolytic degradation and mechanical properties, 309
Wieland, M. See Lossdörfer, S., 361
Winet, H. See Karp, J. M., 1
Wong, C. T.
—; Chen, Q. Z.; Lu, W. W.; Leong, J. C. Y.; Chan, W. K.; Cheung, K. M. C.; Luk, K. D. K.: Ultrastructural study of mineralization of a strontium-containing hydroxyapatite (Sr-HA) cement *in vivo*, 428

Yamamoto, T. See Inoue, M., 585
Yamamoto, Y. See Yoshioka, Y., 219
Yang, J.-L. See Yu, Y., 122
Yang, P. See Kwok, S. C. H., 017
Yang, V. C. See Chen, P.-C., 412, 459
Yaszemski, M. J. See Kempen, D. H. R., 823, 923
Yoshii, S.
—; Oka, M.; Shima, M.; Taniguchi, A.; Taki, Y.; Akagi, M.: Restoration of function after spinal cord transection using a collagen bridge, 569
Yoshioka, Y.
—; Tsutsumi, Y.; Mukai, Y.; Shibata, H..; Okamoto, T.; Kaneda, Y.; Tsunoda, S.-i.; Kamada, H.; Koizumi, K.; Yamamoto, Y.; Mu, Y.; Kodaira, H.; Sato-Kamada, K.; Nakagawa, S.; Mayumi, T.: Effective accumulation of poly(vinylpyrrolidone-*co*-vinyl aurate) into the spleen, 219
Yu, Y.
—; Harris, R. I.; Yang, J.-L.; Anderson, H. C.; Walsh, W. R.: Differential expression of osteogenic factors associated with osteoinductivity of human osteosarcoma cell lines, 122

Zhang, Z. See Wang, Z., 28
Zhu, X. See Kempen, D. H. R., 283, 293

Journal of Biomedical Materials Research
Subject index—Volume 70A

Acellular dermal matrix, 83
Adhesion, 129
Adhesion barrier, 550
Adhesive peptides, 74
Affinity coating, 10
Alginate, 115
Alumina, 523
Anesthetic, 459
Animal model, 402
Antigenicity, 193
Apatite, 303, 341
Aspect ratio, 514
Axonal regeneration, 569

Beta-tricalcium phosphate (β-TCP), 542
Bioactive, 442
Bioactive bone cement, 428
Bioactive glass, 354, 370, 442
Bioactivity, 341
Biochip, 159
Biocompatibility, 28, 186, 550
Biodegradable, 245, 442, 450, 550, 603
Biodegradable glass, 256
Biodegradable microspheres, 283, 412
Biodegradable polymers, 28, 293
Biofilm, 274
Biomaterials, 59, 303
Biomaterials education, 1
Biomimetic method, 341
Biomimetic surface, 66
Biomineralization, 420
Bioprosthetic heart valve, 328
Bioresorption, 542
Blend microspheres, 293
Blood compatibility, 107
BMP, 450
BMP-2, 115
Bone formation, 542
Bone tissue engineering, 235
Bone turnover, 497
Bovine pericardium, 328
Bovine serum albumin (BSA) adsorption, 420

Calcification, 115, 328
Calcium phosphate (CaP), 66, 319, 467, 619
Calcium phosphate cements, 303
Carbodimide, 49
Carbon fiber, 129
Carbon nitride films, 107
Cartilage, 560
Cell adhesion, 10, 159, 380
Cell–cell interaction, 179
Cell encapsulation, 235
Cell lipids, 347
Cell orientation, 206
Cell patterning, 159
Cell surface engineering, 179
Cellular differentiation, 235
Cellular responses, 467
Cementum, 480
Cementum and dentin junction (CDJ), 480
Ceramic, 523
Chain transfer, 265
Chelation, 256
Cobalt base alloys, 341
CoCrMo, 436
Collagen, 93, 224, 594, 603
Collagen filaments, 569
Collagen orientation, 206
Complement activation, 97
Composite membrane, 467
Composites, 442
Compression, 506
Conductive polymer, 28
Confocal laser scanning microscopy, 274
Conformational changes, 420
Connexin 43, 335
Controlled release, 293
Corrosion resistance, 59
Creep curve, 83
Crosslinking, 224
Curli, 274

Degradation, 370
Dermis, 402
Direct insertion, 319
Dissolution, 428
Double-walled microspheres, 576
Drug delivery, 219, 283, 293, 576
Drug release, 467
Dysprosium, 256

Elastomer, 603
Electron microscope, 428
Electrospinning, 603
Endothelial cell adhesion, 97
Endothelial cells, 224, 265
Environment, 816
Enzymes, 437
Escherichia coli, 274
Ethylenediaminetetraacetate (EDTA), 526
Extended X-ray adsorption fine structure spectroscopy (EXAFS), 354
Extracellular matrix, 93

Fibers, 309
Fibrinogen, 533
Fibroblasts, 39
Fibronectin, 533
Fibrosis, 594
Finite element analysis, 20
Flow, 186
Fluoride substituted apatite, 585
Foreign body giant cell, 370, 533
Foreign body response, 245
Fracture toughness, 514
Frictional coefficient, 149

Gamma-radiation, 594
Gap-junctional intercellular communication (GJIC), 335
Gene expression, 391
Glycosaminoglycan (GAG), 328
Green fluorescent protein, 274

Heparan sulfate mimetic, 594
Hip arthroplasty, 523
Histometry, 497
Histomorphometry, 402
Hyaluronate, 542
Hyaluronic acid (HA), 74, 83, 194, 328
Hydrogel degradation, 560
Hydrogels, 74, 235
Hydrogen-free diamond-like carbon, 107
Hydrolytic degradation, 309
Hydrophobic, 219
α-Hydroxy acid, 83
Hydroxyapatite, 20, 59, 319, 420, 585

IgG, 33
Immunogenicity, 139
Implantation, 28

Implant fixation, 66
Inflammation, 380
Injectable, 542, 550
Interface, 20, 840
Interphase, 480
In vitro, 245
In vivo, 66, 169, 245

Lidocaine, 412, 459
Lipid, 179
Lipopolysaccharide (LPS), 194
Living ring-opening polymerization, 154
Lubrication, 149

Macrophages, 194, 380
Marrow stromal cells, 235
Matrix metalloproteinases, 93
Mechanical properties, 467, 480
Metal salts, 347
Methacrylates, 265
MG63 osteoblasts, 361
Micro computed tomography, 66
Microheater array, 159
Micromachined grooved substrata, 206
Microparticles, 442
Microsphere degradation, 293
Microspheres, 459
Microstructure, 506
Mineralization, 428
Monocyte adhesion, 533

Nanometer, 129
Natural origin, 442
Nitrogen implantation, 107
Nonsteroidal anti-inflammatory drug, 576

Odontoblast, 585
$1\alpha,25(OH)_2D_3$, 361
OPG, 361
Orientation angle (OA), 206
Orthopedic, 129
Osteoblast, 115, 129, 436, 490, 585
Osteoblast-like cells, 206, 370
Osteoconductivity, 122, 370
Osteogenic factors, 122
Osteoinductive, 450
Osteopontin, 10
Osteoporosis, 497
Ovariectomy, 497

Peak temperature, 514
PEG, 235
Pegylated particles, 97
Pegylation, 94
Permeability, 506
Photocrosslinked hyaluronate hydrogel (HAD-gel), 550
Photooxidation, 224
Photopolymerization, 560
PLA and PLGA microspheres of β-galactosidase, 139
Plasma immersion ion implantation–deposition (PIII-D), 107
Plasma protein, 169
Plasma-sprayed coatings, 59
Poloxamer, 412, 459
Poly(anhydride-ester), 309
Polycaprolactone, 154
Poly(carbonate urethane), 245
Poly(D,L-lactic acid), 412
Poly(D,L-lactide) (PDLLA), 28
Poly(ester urethane) urea, 603
Poly(ether urethane), 245
Polyethylene glycol, 74, 154
Poly(ethylene glycol), 560
Poly(ethylene glycol)ylation, 179
Poly(glycolic-*co*-lactic acid), 459
Poly(HEMA), 10
Poly(Î-caprolactone) (PCL), 467
Poly(lactic-*co*-glycolic acid) (PLGA), 129, 283, 293, 506
Poly(lactide-*co*-glycolide), 576
Poly-L-lactic acid, 335
Polymer blends, 283
Polymeric carrier, 219
Poly(*N*-isopropyl acrylamide), 159
Poly(propylene fumarate) (PPF), 283, 293
Polypyrrole, 28
Polystyrene, 533
Polystyrene particles, 94
Polyvinylpyrrolidone, 219
Postoperative pains, 412
ζ-Potential, 436
Primaria, 533
Procoagulant activity, 533
Proinflammatory cytokines [interleukin (IL)-1β, IL-6, tumor necrosis factor (TNF)-α] and chemokines [monocyte chemoattractant protein (MCP)-1, macrophage inflammatory protein (MIP)-1α], 194
Protein, 347
Protein adsorption, 49, 97

Radiation synovectomy, 256
Regeneration, 319
Residual stresses, 20
Restinosis, 594
RGD, 265

Sandblasted large-grits acid-etched (SLA) surface, 194
Saos-2, 122
Scaffold, 506, 603
Short-fiber-reinforced bone cement, 514
Short-term cytotoxicity, 442
Simulated body fluid (SBF), 341
Simulator, 523
Smads, 122
Smooth muscle cells, 224
Society for Biomaterials (SFB), 1
Soft tissue response, 169
Sol–gel, 354
Spinal cord transection, 569
sRANKL, 361
316L Stainless steel, 436
Stainless steel reinforcement, 514
Starch, 42
Stealth cell, 179
Stent, 186
Storage modulus, 83
Strain, 490
Stress-strain relationship, 83
Stromal cells, 391
Strontium-containing hydroxyapatite, 428
Surface erosion, 309
Surface roughness, 391
Surface topography, 194
Survey, 1
Synchrotron, 02
Synthetic delivery system, 450
Synthetic peptide, 115

Targeting, 219
Temporomandibular joint, 149
Tendon-bone healing, 319
Tensile modulus, 309
Tensile strength, 309
Tetrahedral amorphous carbon, 380
Themoresponsive polymer, 159
Thermal crosslinking, 235
Thin film coating, 830
Thrombosis, 186
Ti6Al4V, 59, 436
Tissue culture polystyrene, 533
Tissue engineering, 39, 74, 224, 265, 560
Tissue factor, 490
Titania, 420
Titania coating, 169
Titanium, 490
Titanium implant, 497
Titanium surface roughness, 361
TNFα, 533
Transforming growth factor-β3, 402
Transforming growth factor (TGF)-β, 335
Tumorigenesis, 335
Two-dimensional gel electrophoresis, 97
Type 1 collagen, 10

Uniform, 576
U-2 OS, 122

Vascular graft, 224, 265
Volume fraction, 514

Wear, 523
Wound healing, 402

X ray, 354